

GAMMA INSTABUS WALL SWITCH QUADRUPLE,
WITH LED AND IR RECEIVER UP 287/5 DELTA STYLE
TITANIUM WHITE

Technical data:	
Material	thermoplastic
Appearance	shiny
RAL color number	9010
Color	white
Surface processing	others
Material / of the enclosure	plastic
Product component	
• thermostat	No
• Lettering field	No
Bus system / can be used / EIB/KNX	Yes
Bus system / usable / RF bus system	Yes
Bus system / usable / Powernet bus system	No
Bus system / usable / LON bus system	No
Bus system / others / suitable for use	Without
• integrated / Bus coupling	No
• display	No
Type of mounting	flush mounted
Type of display / LED	Yes
Protection class IP	IP20

Suitability for interaction / IR sensor	Yes
Product feature / anti-theft/dismantling	No
Number of actuation points	8

Certificates/approvals:

General Product Approval

Declaration of Conformity



Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/lowvoltage/mall>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5WG1287-2DB15/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5WG1287-2DB15

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

[Datanorm](#) [GAEB81](#) [GAEB83](#) [RTF](#) [TXT](#)



last change:

Jul 1, 2013