

Vectis iX-KB

Powerful Desktop Keyboard for Multi-site IP Surveillance - DATASHEET

VANDERBILT




In a network with a larger group of NVRs and CMS, it often takes much more effort and time to locate a certain camera. The **Vectis iX-KB** keyboard is designed to fix this inconvenience. **Vectis iX-KB** is a full-functional keyboard to dominate the entire network at the comfort on just one site. The keyboard features 35 function keys to quickly select a camera or a monitor in your network to manipulate instant video and recorded video. Also featured is a 3-axis joystick to move a selected camera's lens to quickly frame your desired scene onscreen for PTZ.

The keyboard comes with a dedicated utility to manage the keyboard's features. Use the utility to bring a camera, a monitor or a relevant viewer under the keyboard's control. The utility also includes an onscreen keyboard to interact with you once a physical keyboard is not available.

Features

- Easy installation with plug-and-play USB interface
- Easy operation with function keys and joystick
- Function keys and numeric keys to quickly select a monitor or a camera
- Function keys to manipulate video
- 3-axis joystick to freely move a selected PTZ camera
- Easy management with dedicated utility
- Onscreen keyboard to act like a physical keyboard




Utility Basics

The utility's basics to work, taking monitor management for example, is to make a list of the monitors and register them according to the IP address of a monitor's relevant NVR and the sequence order of a monitor to its relevant NVR.

Vectis iX-KB

Powerful Desktop Keyboard for Multi-site IP Surveillance - DATASHEET

VANDERBILT



Specifications

| | | |
|---------------|-----------------------|---------------------------------|
| Input Devices | Joystick | 3-Axis with PTZ controls |
| | Keys | 35 function keys |
| Interface | USB | Female Standard Type B |
| | | Direct connection to NVR or CMS |
| Display | Display | 256x64 dots, LCD |
| Power | Power Voltage | 7~20 Vac/Vdc |
| | Power Consumption | 70mA / 12 Vdc |
| Environment | Operating Temperature | 20°C ~ 60°C (68°F ~ 140°F) |
| | Operating Humidity | < 90% |
| Appearance | Dimensions | 390 (L) x 145 (W) x 70 (H) mm |
| | Package Size | 435 (L) x 190 (W) x 175 (H) mm |
| | Net Weight | 0.75 Kg |
| | Gross Weight | 1.4 Kg |



Vectis iX-KB

Powerful Desktop Keyboard for Multi-site IP Surveillance - DATASHEET

VANDERBILT

Issued by
Vanderbilt
Clonshaugh Business and
Technology Park
Clonshaugh
Dublin 17
Ireland
www.vanderbiltindustries.com

© Vanderbilt 2015
Data and design subject to change without notice.
Supply subject to availability.
Document version/no.: 1.0/C-300490
Edition: 05/09/2015

Vanderbilt
Vectis iX-KB 09.2015

© Vanderbilt 2015
page 3

VANDERBILT